

2022

LED Lighting
catalogue



mod light group

Mod Light group doo Sarajevo is a company founded in 2015. It was founded by Đenan Milić and Neven Moro after many years of work experience in the field of LED lighting. The director is Njegica Balorda-Moro.

We are engaged in the production and wholesale of LED industrial lighting. We are proud of our own products: LED waterproof lamps, street lamps, surface-mounted, recessed pendants, frames for LED panels, LED profiles that we make in shapes: X, triangle, rectangle, square, hexameter, as well as in shapes and colors desired by our customers.

In addition, we offer our customers LED lighting fixtures: spotlights, light bulbs, panels, downlights, transformers, LED tubes, LED modules, LED drivers, aluminum profiles and panic lighting.

We are especially pleased that our work and commitment have been recognized by greats such as MST, Tridonic and Helvar, whose products we distribute in Bosnia and Herzegovina and the region.

We are also pleased to have giants such as Deling, Tibra Pacific, Bulevar, Enmon, Mercator, Konzum, M-tel, etc. among our partners.

Our approach to each client is the same - professionally, responsibly and to the end done to the mutual satisfaction.

After seven years, we have a double-digit number of employees and in that sense we have the desire and intention to only increase, as well as expand the scope of activities.

LED Lighting catalogue

ABOUT US



mod light group

Content:

1. ML-10 HANGING LAMP 
2. ML-11 RECESSED LAMP 
3. ML-12 -X LAMP 
4. ML-13 -T LAMP 
5. ML-14 -T LAMP 
6. ML-15 -T LAMP 
7. ML-16 UP/DOWN LAMP 
8. ML-17 SHADOW 
9. ML-18 HEXA 
10. ML-DINY 50 
11. ML-DINY 60 
12. ML-60/60 INSTALLED FRAME 
13. ML-120/30 INSTALLED FRAME 
14. ML-400 BELLY LED 
15. ML-500 ACYKA 
16. ML-7000-20000 
17. ML-7/LEDS 
18. ML-8/LEDS 
19. ML-9/LEDS 
20. ML-1935/15L 
21. ML-D30 



mod light group

LED Lighting

catalogue

ML-10 HANGING LAMP

fully adjustable for your ideas and more...

	W	lm	mm	lm/W
ML-10/600/4/s	17	2590	600	152
ML-10/1200/4/s	27	4383	1200	179
ML-10/1200/4/s	34	5955	1200	174
ML-10/1200/4/s	42	7020	1200	169
ML-10/1200/4/s	49	8025	1200	164
ML-10/1500/4/s	34	6047	1500	179
ML-10/1500/4/s	43	7444	1500	174
ML-10/1500/4/s	52	8775	1500	169
ML-10/1500/4/s	61	10031	1500	164

maximum one piece length 2850 mm




*the specified values are from the module



COLOR CHOISE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ML-11 RECESSED LAMP

fully adjustable for your ideas and more...



	W	lm	mm	lm/W
ML-11/600/4/s	17	2590	600	152
ML-11/1200/4/s	27	4383	1200	179
ML-11/1200/4/s	34	5955	1200	174
ML-11/1200/4/s	42	7020	1200	169
ML-11/1200/4/s	49	8025	1200	164
ML-11/1500/4/s	34	6047	1500	179
ML-11/1500/4/s	43	7444	1500	174
ML-11/1500/4/s	52	8775	1500	169
ML-11/1500/4/s	61	10031	1500	164

maximum one piece length 2850 mm

*the specified values are from the module



** stainless steel hooks




COLOR CHOICE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette





x shape

ML-12 X-LAMP

fully adjustable for your ideas and more...
choose shape, color and length

	W	lm	mm	lm/W
ML-12/4x600/4/s	68	10360	1200	152
ML-12/4x1200/4/s	136	23820	2400	175




*the specified values are from the module




COLOR CHOICE

BLACK RAL 905
 BLUE RAL 5010
 GREEN RAL 6005
 WHITE RAL 9010
 GRAY RAL 9006
 GOLD RAL 1036

**+ in addition to the
 above, at the request of
 the client, it is possible to
 paint with any color from
 the color palette**






shape triangle

COLOR CHOICE

BLACK RAL 905
 BLUE RAL 5010
 GREEN RAL 6005
 WHITE RAL 9010
 GRAY RAL 9006
 GOLD RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ceiling



600mm-1200mm-1500mm

side view


ML-13 T-LAMP

fully adjustable for your ideas and more...
 choose shape, color and length

	W	lm	mm	lm/W
ML-13/3x600/4/s	51	7773	600	152
ML-13/3x1200/4/s	102	17865	1200	175
ML-13/3x1500/4/s	129	22332	1500	173

*the specified values are from the module





shape rectangle

ML-14 T-LAMP

fully adjustable for your ideas and more...
choose shape, color and length

	W	lm	mm	lm/W
ML-14/600/4/s	62	9380	600x300	151
ML-14/1200/4/s	82	12966	1200x300	158

maximum one piece length 2850 mm


*the specified values are from the module




COLOR CHOICE

BLACK RAL 905
 BLUE RAL 5010
 GREEN RAL 6005
 WHITE RAL 9010
 GRAY RAL 9006
 GOLD RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ceiling



side view





square shape

ML-15 T-LAMP

fully adjustable for your ideas and more...
choose shape, color and length

	W	lm	mm	lm/W
ML-15/4x600/4/s	68	10360	600x600	152
ML-15/4x600/4/s	136	23820	600x600	175


*the specified values are from the module



COLOR CHOICE

BLACK RAL 905
 BLUE RAL 5010
 GREEN RAL 6005
 WHITE RAL 9010
 GRAY RAL 9006
 GOLD RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ceiling



side view



ML-16 UP-DOWN

fully adjustable for your ideas and more...



	W	lm	mm	lm/W
ML-16/600/4/s	34	2x2590	600	152
ML-16/1200/4/s	54	2x4838	1200	152
ML-16/1500/4/s	68	2x6047	1500	152

*the specified values are from the module




COLOR CHOISE

BLACK	RAL 905	+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette
BLUE	RAL 5010	
GREEN	RAL 6005	
WHITE	RAL 9010	
GRAY	RAL 9006	
GOLD	RAL 1036	



ML-17 SHADOW LAMP



fully adjustable for your ideas and more...

	W	lm	mm	lm/W
ML-17/600/4/s	17	2590	600	152
ML-17/1200/4/s	27	4383	1200	179
ML-17/1200/4/s	34	5955	1200	174
ML-17/1200/4/s	42	7020	1200	169
ML-17/1200/4/s	49	8025	1200	164
ML-17/1500/4/s	34	6047	1500	179
ML-17/1500/4/s	43	7444	1500	174
ML-17/1500/4/s	52	8775	1500	169
ML-17/1500/4/s	61	10031	1500	164

maximum one piece length 2850 mm


*the specified values are from the module



COLOR CHOISE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette





hexagon

ML-18 HEXA

fully adjustable for your ideas and more...
choose shape, color and length

	W	lm	mm	lm/W
ML-18/6X600/4/s	102	15540	600	152



*the specified values are from the module



COLOR CHOISE

BLACK RAL 905
 BLUE RAL 5010
 GREEN RAL 6005
 WHITE RAL 9010
 GRAY RAL 9006
 GOLD RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ML-DINY 50

fully adjustable for your ideas and more...

	W	lm	mm	lm/W
ML-D50/600/4/s	17	2590	600	152
ML-D50/1200/4/s	27	4383	1200	179
ML-D50/1200/4/s	34	5955	1200	174
ML-D50/1200/4/s	42	7020	1200	169
ML-D50/1200/4/s	49	8025	1200	164
ML-D50/1500/4/s	34	6047	1500	179
ML-D50/1500/4/s	43	7444	1500	174
ML-D50/1500/4/s	52	8775	1500	169
ML-D50/1500/4/s	61	10031	1500	164

maximum one piece length 2850 mm




*the specified values are from the module



COLOR CHOISE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ML-DINY 60

fully adjustable for your ideas and more...

	W	lm	mm	lm/W
ML-D60/600/4/s	17	2590	600	152
ML-D60/1200/4/s	27	4383	1200	179
ML-D60/1200/4/s	34	5955	1200	174
ML-D60/1200/4/s	42	7020	1200	169
ML-D60/1200/4/s	49	8025	1200	164
ML-D60/1500/4/s	34	6047	1500	179
ML-D60/1500/4/s	43	7444	1500	174
ML-D60/1500/4/s	52	8775	1500	169
ML-D60/1500/4/s	61	10031	1500	164

maximum one piece length 2850 mm



*the specified values are from the module



COLOR CHOISE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ML-60/60 INSTALLED FRAME

fully adjustable for your ideas and more...

dimensions: 630x630mm

material aluminium



clipse: inox



COLOR CHOISE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ML-120/30 INSTALLED FRAME



fully adjustable for your ideas and more...

dimensions: 1200x300mm

material: aluminijum



clipse: inox



COLOR CHOISE

BLACK	RAL 905
BLUE	RAL 5010
GREEN	RAL 6005
WHITE	RAL 9010
GRAY	RAL 9006
GOLD	RAL 1036

+ in addition to the above, at the request of the client, it is possible to paint with any color from the color palette



ML-400 BELLY LED

Our waterproof luminaires include **modules and drivers** of European origin - manufactured by **MST, Tridonic and Helvar**.



Available models:

Type	W	lm	lm/W	K	kg	
ML400 5ft (1200mm)	27	4838	179	3000 4000 5000	1,5	
ML400 5ft (1200mm)	34	5955	174	3000 4000 5000	1,5	
ML400 5ft (1200mm)	42	7020	169	3000 4000 5000	1,5	
ML400 5ft (1200mm)	49	8025	164	3000 4000 5000	1,5	NEW!
ML400 5ft (1500mm)	34	6047	179	3000 4000 5000	1,8	
ML400 5ft (1500mm)	43	7444	174	3000 4000 5000	1,8	
ML400 5ft (1500mm)	52	8775	169	3000 4000 5000	1,8	
ML400 5ft (1500mm)	61	10031	164	3000 4000 5000	1,8	NEW!

* specified values are from the module

** stainless steel hooks complete with lamp

Warranty- 5 years



ML- 500 ACYKA LED

Waterproof lamps, wide application,
manufactured in Bosnia and Herzegovina


ML- 500 2x600mm

ML- 500 2x1200mm

ML- 500 2x1500mm



Possible purchase of lamps complete with
LED tubes, by customer order.




Available models:

Model	W	lm	lm/W	K	IP	kg	LED tubes
ML 500 2x 1200mm	29	3200	110	4000 5000	65	1,5	PHILIPS
ML 500 2x 1500mm	40	4400	110	4000 5000	65	1,8	PHILIPS
ML 500 2x 1200mm	32	3600	112	4000 5000	65	1,5	OSRAM
ML 500 2x 1500mm	40	4600	115	4000 5000	65	1,8	OSRAM

* specified values are from the module

** stainless steel hooks complete with lamp





ML-7000-20000

Technical specifications:**LED Brand:** MST RecLed 2x8**Whole lamp efficiency:** 130w~160lm/w**Driver brand:** Tridonic, Osram, Meanwell**CCT:** 4000K 5000K**IP Grade:** IP66**Life span:** 100000 h**Guarantee:** 5 years**Available models:**

Model	W	lm	V	lm/W	IP	IK	Dimenzije	Ø
ML 7000	48	7081	46	148	66	08	616*303*150mm	50
ML 14000	96	14162	92	148	66	08	676*303*186mm	60
ML 20000	144	21200	138	148	66	08	676*303*186mm	60

* specified values are from the module





ML-7/leds

Widespread use of our panic lamps

Technical specifications:

Voltage: 220-240V AC/50-60HZ

Max. power consumption: 1,1W/1,5VA


Battery: 3,6V/0,6Ah

Minimum autonomous duration: 1h

Illumination (emergency): 75lm

External dimensions: 280x95x48mm

Guarantee: 3 years (1 year for the battery)



ML-8/leds

Widespread use of our panic lamps

Technical specifications:

Voltage: 220-240V AC/50-60HZ

Max. power consumption: 2,7W/3VA



Battery: 3,6V/0,6Ah

Minimum autonomous duration: 1,5 h

Illumination (230V AC/ emergency): 35lm/85lm

External dimensions: 240x90x44mm

Guarantee: 3 years (1 year for the battery)



ML-9/leds

Widespread use of our panic lamps

Technical specifications:

Voltage: 220-240V AC/50-60HZ

Max. power consumption: 3W/3,5VA



Battery: 3,6V/1Ah

Minimum autonomous duration: 3 h

Illumination (230V AC/ emergency): 32lm/85lm

External dimensions: 240x90x44mm

Guarantee: 3 years (1 year for the battery)





ML-1935/15L

Widespread use of our panic lamps

Technical specifications:

Voltage: 220-240V AC/50-60HZ

IP 65

Max. power consumption: 3,1W/3,3VA

Battery: 3,6V/0,6Ah

Minimum autonomous duration: 90min

Illumination (230V AC/ emergency): 40lm/105lm

External dimensions: 313x118x66mm

Guarantee: 3 years (1 year for the battery)





MLD-30

Widespread use of our panic lamps

Technical specifications:

Voltage: 220-240V AC/50-60HZ

IP 40

Max. power consumption: 3,5W/3,7VA

Battery: 3,6V/1Ah

Minimum autonomous duration: 3h

Illumination (230V AC/ emergency): 45lm/95lm

External dimensions: 310x240x51mm

Guarantee: 3 years (1 year for the battery)



2022

mod light group

LED Lighting

catalogue

**WHOLESALE AND MANUFACTURE
OF LED INDUSTRIAL LIGHTING
AND LIGHTING FIXTURES**

**Halilovići 47, Sarajevo
Bosnia and Herzegovina**

**info@mlgroup.ba
www.mlgroup.ba**

**Neven Moro
+387 61 48 51 63
Đenan Milić
+387 62 33 10 39
Senad Heljić
+387 61 95 80 38
Jasmin Kunić
+387 61 44 72 20**